

ENVIROTEK LABORATORIES, INC.

120 White Owl Trail, Mullica Hill, NJ 08062
PHONE 856-478-0010 www.enviroteklab.com
EPA ID # NJ01298 NJ DEP ID # 08012

TEST RESULTS

FOR

New Millennium Concepts, LTD.

PO BOX 201411

ARLINGTON, TX 48390

Berkey Earth DE Filter Element

NSF Standard 53, and NSF Standard 42

Chemical Reduction Tests Results

ENVIROTEK LABORATORIES, INC.

120 White Owl Trail, Mullica Hill, NJ 08062
 PHONE 856-478-0010 www.enviroteklab.com
 EPA ID # NJ01298 NJ DEP ID # 08012

BERKEY EARTH DE FILTER ELEMENT TEST REPORT

Report # 14-257 (Berkey Earth Filter Element)
 Report Date: 10/08/2014
 Customer Name: New Millennium Concepts, LTD.

Drinking Water Contaminant Tested	Influent Water Concentration in µg/L	Berkey Earth DE Filter Element Effluent Concentration in µg/L	% Reduction
Volatil Organic Contaminants in µg/L			
Dichlorodifluoromethane	80.3	<0.5	99.9
Chloromethane	80.2	<0.5	99.9
Vinylchloride	80.1	<0.5	99.9
Bromomethane	80.2	<0.5	99.9
Chloroethane	80.21	<0.5	99.9
Trichlorofluoromethane	81.2	<0.5	99.9
1,1-Dichloroethene	83.3	<0.5	99.9
Methylene Chloride	81.1	<0.5	99.9
trans-1,2-Dichloroethene	81.0	<0.5	99.9
MTBE	80.0	<0.5	99.9
1,1-Dichloroethane	79.9	<0.5	99.9
cis-1,2-Dichloroethene	170.0	<0.5	99.9
2,2-Dichloropropane	79.8	<0.5	99.9
Bromochloromethane	79.7	<0.5	99.9
Chloroform	80.0	<0.5	99.9
Carbon Tetrachloride	79.5	<0.5	99.9
1,1,1-Trichloroethane	80.4	<0.5	99.9
1,1-Dichloropropene	79.9	<0.5	99.9
Benzene	81.2	<0.5	99.9
1,2-Dichloroethane	89.0	<0.5	99.9
Trichloroethene	182.3	<0.5	99.9
Dibromomethane	79.9	<0.5	99.9
1,2-Dichloropropane	80.4	<0.5	99.9
Bromodichloromethane	80.1	<0.5	99.9
cis-1,3-Dichloropropene	50.3	<0.5	99.9
Toluene	79.2	<0.5	99.9
trans-1,3-Dichloropropene	80.2	<0.5	99.9
Tetrachloroethene	80.5	<0.5	99.9
1,1,2-Trichloroethane	152.2	<0.5	99.9
Chlorodibromomethane	80.2	<0.5	99.9
1,3-Dichloropropane	80.2	<0.5	99.9
Ethylbenzene	89.2	<0.5	99.9
Chlorobenzene	78.2	<0.5	99.9
1,1,1,2-Tetrachloroethane	79.2	<0.5	99.9
m-Xylene	70.2	<0.5	99.9
o-Xylene	70.2	<0.5	99.9
Styrene	80.1	<0.5	99.9
Bromoform	80.1	<0.5	99.9
Isopropylbenzene	80.3	<0.5	99.9
n-Propylbenzene	80.2	<0.5	99.9
Bromobenzene	80.5	<0.5	99.9
1,1,2,2-Tetrachloroethane	80.2	<0.5	99.9
1,3,5-Trimethylbenzene	81.2	<0.5	99.9
2-Chlorotoluene	81.2	<0.5	99.9
1,2,3-Trichloropropane	80.4	<0.5	99.9
Dichlorodifluoromethane	80.2	<0.5	99.9
Chloromethane	80.2	<0.5	99.9
Vinylchloride	80.3	<0.5	99.9
Bromomethane	80.1	<0.5	99.9
Chloroethane	80.4	<0.5	99.9
Trichlorofluoromethane	81.1	<0.5	99.9
1,1-Dichloroethene	82.2	<0.5	99.9
Methylene Chloride	80.1	<0.5	99.9
trans-1,2-Dichloroethene	85.1	<0.5	99.9

ENVIROTEK LABORATORIES, INC.

120 White Owl Trail, Mullica Hill, NJ 08062
 PHONE 856-478-0010 www.enviroteklab.com
 EPA ID # NJ01298 NJ DEP ID # 08012

Drinking Water Contaminant Tested	Influent Water Concentration in µg/L	Berkey Earth DE Filter Element Effluent Concentration in µg/L	% Reduction
Volatile Organic Contaminants in µg/L			
4-Chlorotoluene	80.2	<0.5	99.9
1,2,4-Trimethylbenzene	80.2	<0.5	99.9
sec-Butylbenzene	80.0	<0.5	99.9
4-Isopropyltoluene	80.1	<0.5	99.9
1,3-Dichlorobenzene	80.4	<0.5	99.9
1,4-Dichlorobenzene	80.2	<0.5	99.9
n-Butylbenzene	40.0	<0.5	99.9
1,2-Dichlorobenzene	80.1	<0.5	99.9
Hexachlorobutadiene	80.1	<0.5	99.9
1,2,4-Trichlorobenzene	44.0	<0.5	99.9
Naphthalene	160.5	<0.5	99.9
1,2,3-Trichlorobenzene	80.4	<0.5	99.9
Heavy Metal Contaminants in µg/L pH = 6.5			
Aluminum	210	<2	99.0
Antimony	6.2	<0.5	99.9
Arsenic	310	<2	99.9
Beryllium	50.1	<0.5	99.9
Bismuth	50.2	<2	99.9
Cadmium	32.1	<0.5	99.7
Chromium	312	<2	99.9
Copper	3,100	<2	99.9
Iron	3,200	<2	99.9
Lead	150	<2	99.9
Manganese	1,050	<2	99.9
Mercury	6.2	<0.5	99.9
Nickel	100	<2	99.9
Selenium	104	<2	99.9
Zinc	3,000	<2	99.9
Heavy Metal Contaminants in µg/L pH = 8.5			
Aluminum	212	<2	99.1
Antimony	6.1	<0.5	99.9
Arsenic	320	<2	99.9
Beryllium	50.2	<0.5	99.9
Bismuth	50.2	<2	99.9
Cadmium	31.5	<0.5	99.7
Chromium	310	<2	99.9
Copper	3,150	<2	99.9
Iron	3,250	<2	99.9
Lead	152	<2	99.9
Manganese	1,100	<2	99.9
Mercury	6.2	<0.5	99.9
Nickel	104	<2	99.9
Selenium	106	<2	99.9
Zinc	3,000	<2	99.9
Pesticide Contaminants in µg/L			
4,4'-DDD	50.1	<0.5	99.9
4,4'-DDE	50.2	<0.5	99.9
4,4'-DDT	50.0	<0.5	99.9
Alachlor	40.1	<0.5	99.9
Aldrin	50.1	<0.5	99.9
Alpha-BHC	50.3	<0.5	99.9
Ametryn	50.4	<0.5	99.9
Atraton	50.0	<0.5	99.9
Atrazine	9.0	<0.5	99.9
Beta-BHC	49.7	<0.5	99.9
Bromacil	50.2	<0.5	99.9
Carbofuran	80.2	<0.5	99.9
Chlordane	40.3	<0.5	99.9
Chlorneb	51.6	<0.5	99.9
Chlorobenzilate	50.1	<0.5	99.9
Chlorothalonil	50.2	<0.5	99.9
Chlorprophane	51.1	<0.5	99.9

ENVIROTEK LABORATORIES, INC.

120 White Owl Trail, Mullica Hill, NJ 08062
 PHONE 856-478-0010 www.enviroteklab.com
 EPA ID # NJ01298 NJ DEP ID # 08012

Drinking Water Contaminant Tested	Influent Water Concentration in µg/L	Berkey Earth DE Filter Element Effluent Concentration in µg/L	% Reduction
Pesticide Contaminants in µg/L			
Cyanizene	51.3	<0.5	99.9
Delta-BHC	50.2	<0.5	99.9
Dichlorvos	50.4	<0.5	99.9
Dieldrin	49.7	<0.5	99.9
Diphenamid	50.2	<0.5	99.9
Disulfoton	51.5	<0.5	99.9
Endosulfan Sulfate	51.2	<0.5	99.9
Endrin	6.1	<0.5	99.9
Endrin Aldehyde	51.2	<0.5	99.9
Endrin Ketone	52.1	<0.5	99.9
Endusulfan I	49.8	<0.5	99.9
Endusulfan II	50.2	<0.5	99.9
Ethoprop	50.2	<0.5	99.9
Fenamiphos	51.2	<0.5	99.9
Fluoridone	51.4	<0.5	99.9
Gamma-BHC (Lindane)	2.1	<0.5	99.9
Heptachlor	81.2	<0.5	99.9
Methoxychlor	120	<0.5	99.9
Molinate	50.2	<0.5	99.9
PCB's	10.0	<0.5	99.9
Prometron	50.2	<0.5	99.9
Simazine	12.0	<0.5	99.9
Toxaphene	15.0	<0.5	99.9
Semivolatile Contaminants in µg/L			
Acenaphthylene	50.0	<0.5	99.9
Anthracene	50.1	<0.5	99.9
Benz[a]anthracene	51.0	<0.5	99.9
Benzo[b]fluoranthene	50.2	<0.5	99.9
Benzo[k]fluoranthene	50.0	<0.5	99.9
Benzo[a]pyrene	50.2	<0.5	99.9
Benzo[g,h,i]perylene	50.3	<0.5	99.9
Butylbenzylphthalate	50.0	<0.5	99.9
Carboxin	50.5	<0.5	99.9
2-Chlorobiphenyl	50.2	<0.5	99.9
Chrysene	51.0	<0.5	99.9
Cycloate	51.0	<0.5	99.9
Dacthal (DCPA)	51.2	<0.5	99.9
Diazinon	52.0	<0.5	99.9
Dibenz[a,h]anthracene	50.4	<0.5	99.9
Di-n-Butylphthalate	49.9	<0.5	99.9
2,3-Dichlorobiphenyl	50.4	<0.5	99.9
Diethylphthalate	49.0	<0.5	99.9
Di(2-ethylhexyl)adipate	50.1	<0.5	99.9
Di(2-ethylhexyl)phthalate	52.0	<0.5	99.9
Dimethylphthalate	51.0	<0.5	99.9
EPTC	50.5	<0.5	99.9
Fluorene	49.8	<0.5	99.9
2,2', 3,3', 4,4', 6-Heptachlorobiphenyl	51.3	<0.5	99.9
Hexachlorobenzene	49.9	<0.5	99.9
2,2', 4,4', 5,6'-Hexachlorobiphenyl	50.5	<0.5	99.9
Hexachlorocyclohexane, alpha	51.0	<0.5	99.9
Hexachlorocyclohexane, beta	51.2	<0.5	99.9
Hexachlorocyclohexane, delta	51.2	<0.5	99.9
Hexachlorocyclopentadiene	50.2	<0.5	99.9
Hexazinone	50.5	<0.5	99.9
Indeno[1,2,3,c,d]pyrene	49.2	<0.5	99.9
Isophorone	51.4	<0.5	99.9
Merphos	51.2	<0.5	99.9
Methyl Paraoxon	51.1	<0.5	99.9
Norflurazon	51.3	<0.5	99.9
2,2', 3,3', 4,5', 6,6'-Octachlorobiphenyl	50.0	<0.5	99.9
Pebulate	50.2	<0.5	99.9

ENVIROTEK LABORATORIES, INC.

120 White Owl Trail, Mullica Hill, NJ 08062
 PHONE 856-478-0010 www.enviroteklab.com
 EPA ID # NJ01298 NJ DEP ID # 08012

Drinking Water Contaminant Tested	Influent Water Concentration in µg/L	Berkey Earth DE Filter Element Effluent Concentration in µg/L	% Reduction
Semivolatle Contaminants in µg/L			
Pentachlorophenol	50.1	<0.5	99.9
Phenanthrene	50.5	<0.5	99.9
cis-Permethrin	50.1	<0.5	99.9
trans-Permethrin	49.5	<0.5	99.9
Prometon	51.2	<0.5	99.9
Prometryn	51.0	<0.5	99.9
Pronamide	50.0	<0.5	99.9
Propachlor	50.2	<0.5	99.9
Propazine	50.0	<0.5	99.9
Triademefon	49.8	<0.5	99.9
2,4,5-Trichlorobiphenyl	48.5	<0.5	99.9
Triademefon	48.8	<0.5	99.9
2,4,5-Trichlorobiphenyl	48.5	<0.5	99.9
Tricyclazole	48.8	<0.5	99.9
Trifluralin	51.1	<0.5	99.9
Disinfectant and Inorganic Non-Metallic Contaminants in mg/L			
Chloramines	3.1 mg/L	<0.1 mg/L	99.9
Free Chlorine	2.2 mg/L	<0.1 mg/L	99.9
Chloride	250 mg/L	<1 mg/L	99.6
Fluoride	8.2 mg/L	<0.1 mg/L	99.9
Herbicide Contaminants in µg/L			
Dalapon	150	<0.1	99.9
Dicamba	150	<0.1	99.9
Dinosep	22.2	<0.1	99.0
Dichlorporp	150	<0.1	99.9
2,4-D	220	<0.5	99.9
Pentachlorophenol	10.2	<0.5	99.9
Picoram	150	<0.5	99.9
2,4,5-T	152	<0.5	99.9
2,4,5-TP (Silvex)	150	<0.5	99.9
2,4-DB	152	<0.5	99.9
Bentazom	150	<0.5	99.9
DCPA	150	<0.5	99.9
Quinclorac	150	<0.5	99.9
Aciflurfen	151	<0.5	99.9
Pharmaceutical Drugs Contaminants in µg/L			
Acetaminofen	20.0	<0.1	99.5
Caffeine	20.2	<0.1	99.5
Carbamazepine	21.2	<0.1	99.5
Ciprofloxacin HCl	21.2	<0.1	99.5
Erythromycin USP	20.0	<0.1	99.5
Sulfamethoxazole	21.2	<0.1	99.5
Trimethoprim	20.3	<0.1	99.5
Bisphenol A	20.4	<0.1	99.5
Diclofenac Sodium	20.2	<0.1	99.5
4-para-Nonylphenol	20.2	<0.1	99.5
4-tert-Octylphenol	20.4	<0.1	99.5
Primidone	20.9	<0.1	99.5
Progestrone	20.4	<0.1	99.5
Gemfibrozil	20.4	<0.1	99.5
Ibuprofen	20.3	<0.1	99.5
Naproxen Sodium	20.4	<0.1	99.5
Triclosan	20.2	<0.1	99.5
Petroleum Contaminants in µg/L			
Gasoline	50.4	<0.5	99.9
Diesel	51.2	<0.5	99.9
Crude Oil	50.5	<0.5	99.9
Kerosene	50.4	<0.5	99.9
Mineral Spirits	50.4	<0.5	99.9
Refine Oil	50.2	<0.5	99.9
Individual Organic Compound			
Methylcyclohexane-methane	130 µg/L	<0.5 µg/L	99.9

ENVIROTEK LABORATORIES, INC.

120 White Owl Trail, Mullica Hill, NJ 08062
PHONE 856-478-0010 www.enviroteklab.com
EPA ID # NJ01298 NJ DEP ID # 08012

Jaime Young

Jaime Young
Lab Director